# blackbird

# AUCTION CATALOG

## **Online Auction Only!**

Bidding begins Jan. 1 and runs through Jan. 12 closing at 3:00PM EST.

Please contact auctioneer for further information or to schedule an inspection.

Qualtech Pins and Fasteners 250 Grider Street Buffalo, NY 14215

Sale Closes Jan 12, 3:00PM









Blackbird Asset Services, LLC 5586 Main Street Suite 204 Williamsville, NY 14221

Email: info@blackbirdauctions.com

Tel. 716.632.1000 Fax. 888-606-7544







blackbird

January 2012

Dear Prospective Buyer:

Thank you for inquiring about another incredible opportunity from Blackbird Asset Services, LLC. The sale of Qualtech Pins and Fasteners in Buffalo, New York will be a sale of the entirety against the piecemeal. Said another way, the high bid for lots 1-161 will be added together and compared to lot 162. The way that brings the highest return will be the way we confirm the bids and sell the assets. If you are a manufacturer, please see our website and download the documents that outline the backlog of business and parts drawings. By selling this way a purchaser of the entirety has the opportunity to keep the equipment in place and get right to work.

We have prepared the enclosed information and equipment catalog in an effort to assist you in your due diligence prior to the online auction that begins January 1 and ends January 12, 2012 beginning at 3:00 PM EST. Please note the closing is a soft closing and any bid placed in the last minute of the auction will increase the closing time for that lot by 1 minute.

As with any auction, prior to bidding, it is important that you read all of the available information, you do your own research, and that you thoroughly understand the terms and conditions of the auction. Each auction can have its own set of terms depending upon the type of auction being conducted.

The actual bidding platform with a catalog and larger (multiple) photos of the equipment can be found at

http://blackbirdauctions.auctionflex.com/searchauctions.ap?co=64259&archive=n&l ang=en . You can follow this link directly to log in, register and bid.

If at any time you have a question about this auction and/or the bidding process or to schedule an inspection please call our office at 716-632-1000 or contact us by email at <a href="mailto:info@blackbirdauctions.com">info@blackbirdauctions.com</a>. Our objective is to help answer all of your questions prior to the auction closing on January 12, 2012.

Good luck at the auction!

Sincerely,

Blackbird Asset Services, LLC

David A. Fiegel President

#### **Auction Bidder Agreement**

#### Bidder and Auctioneer agree that the Terms and Conditions listed below shall govern this Auction sale:

- 1. All persons seeking to register to bid acknowledges acceptance of these terms of sale, and guarantees prompt payment of all online purchases by ACH, wire transfer, credit card or check. No items will be removed prior to full payment, with all funds having cleared our accounts.
- 2. The "Bidder" becomes a "Buyer" upon the Auctioneers acceptance of their bid on one or more items in the Auction sale.
- 3. FULL PAYENT must be made immediately for your purchase at the Auction. This payment should be made in the form of credit card, cash, company check, cashiers check, wire transfer or ACH (see wire instructions on invoice.
- 4. Items left unpaid for more than 48 hours will be resold at the risk and expense of the Buyer. In the event that a Buyer fails to pay the entire purchase price (in addition to the Buyer's premium and any applicable tax) within 48 hours or otherwise fails to comply with these Terms and Conditions, Auctioneer and the Seller will retain any deposit paid as liquidated damages without notice. Auctioneer and the Seller reserve the right to resell such items without notice, and the defaulting Buyer shall be liable to Auctioneer and Seller for any resulting deficiency, including costs incurred in storing and reselling such items.
- 5. Auctioneer shall charge and collect from each Buyer a 12  $\frac{1}{2}$ % Buyer's premium for each sale at the Auction, in addition to the purchase price as bid. Purchasers, who pay in the form of cash, cashier's check, company check (with a letter of guarantee) or wire transfer within 48 hours of being invoiced, may be entitled to receive a discount from the Buyer's premium equal to 2  $\frac{1}{2}$ % % of the purchase price.
- 6. All items in the Auction shall be sold to the highest bidder; provided, however, that some items may be auctioned with minimum reserve prices, and/or subject to Seller's right of confirmation. Auctioneer reserves the right to reject any bid that is only a minimal increase over the preceding bid, that is not commensurate with the value of the item being offered or that Auctioneer believes was made illegally or in bad faith. Further, Auctioneer may bid at the Auction either for its own account or on behalf of the Seller or a third party. All sales are final. No returns or refunds will be permitted, unless authorized by the Seller in writing.
- 7. Collection of applicable taxes will be in accordance with the laws of the state of New York. Auctioneer reserves the right to charge and collect tax on all purchases, shifting the burden of determining any 'tax exempt' status to the purchaser (if applicable). In such case tax refunds will be issued by the state. Some items in this sale may be subject to U.S. export control regulations.
- 8. For any purchase paid in cash with a value of \$10,000 or greater, Buyer is required to complete US Treasury Dept. form #8300 at the time of purchase.
- 9. Removal and shipment of purchased items will be the sole responsibility of the Buyer and must be completed before January 30, 2012. NO MATERIAL HANDLING EQUIPMENT OR TOOLS WILL BE MADE AVAILABLE BY THE SELLER OR AUCTIONEER FOR BUYERS' USE DURING ITEM REMOVAL. All Buyers and/or their agent riggers MUST comply with all insurance requirements as noted in the Auction catalog.
- 10. The Buyer becomes fully responsible for, and assumes all risk of loss and damage to items purchased until items are removed from the Auction site whether or not the removal deadline has passed. If the Buyer does not remove an item within the announced removal period, Auctioneer and the Seller may, in their sole discretion, deem the item to have been abandoned by the Buyer and the Buyer will have no further rights with respect to the item.
- 11. In the event of any dispute concerning the winning bid price for an item, the record kept by Auctioneer shall control. In any dispute between two or more bidders, the Auctioneers decision shall be absolute and final.
- 12. ALL ITEMS ARE SOLD AS IS, WHERE IS AND WITH ALL FAULTS. NEITHER SELLER NOR AUCTIONEER MAKES ANY WARRANTY, EXPRESS OR IMPLIED, AS TO THE NATURE, QUALITY, VALUE OR CONDITION OF ANY ITEM. AUCTIONEER AND SELLER EXPRESSLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT.
- 13. The aggregate respective liability of Seller or Auctioneer in respect of any other loss or damage suffered by a Buyer and arising out of or in connection with these Terms and Conditions or arising out of or in any way connected with a Buyer's participation in the Auction, whether in contract, tort (including negligence) or for breach of statutory duty or in any other way, shall not exceed (i) in the case of the Seller, the amount of the purchase price paid by the Buyer; and (ii) in the case of the Auctioneer, the Buyer's premium paid by the Buyer, in each case in respect of the goods which are the subject of the claim.
- 14. Buyers acknowledge that an Auction site or the Seller's site is a potentially dangerous place. Flammable, noxious, corrosive and pressurized substances may be present. Heavy equipment may be operated, and electrical circuits may be live. Every person enters such site at his or her own risk with notice of the condition of the premises and the activities that will be or have been conducted on the premises. Buyers shall so advise their agents and employees. No person shall have any claim against Auctioneer, the Seller or their respective agents or employees for any injuries sustained or for damages to or loss of person or property that may occur at such site.
- 15. These Terms and Conditions are incorporated and merged with any sale specific Terms and Conditions that may be distributed via our online bidding site.

# **BUYER'S PREMIUM**

A DISCOUNTED BUYER'S
PREMIUM OF 10% OF THE BID
PRICES WILL BE ADDED TO
THE BID PRICE FOR EACH LOT
FOR BUYER'S WHO PAY IN
THE FORM OF CASH,
CASHIER'S CHECK, COMPANY
CHECK (WITH A LETTER OF
GUARANTEE) OR WIRE
TRANSFER.

THE FULL BUYER'S PREMIUM OF 12.5% SHALL APPLY FOR BUYERS WHO PAY VIA CREDIT CARD.

# **NO WARRANTIES:**

Every item and lot in this auction is sold: (a) "AS-IS, WHERE-IS AND WITHOUT RECOURSE," and (b) with no warranties, guarantees or representation of any kind or variety, whether expressed, implied or otherwise.

# **PAYMENT**

May be made by cash, certified funds, company check, wire transfer, ACH or credit card. You will be forwarded an invoice by email upon the completion of the auction and contacted by us to facilitate payment. Removal scheduling will not be permitted until all funds clear our account.

Visa, Mastercard and AMEX will be accepted at this auction.

# **BUYER'S PREMIUM**

A DISCOUNTED BUYER'S PREMIUM OF 10% WILL BE ADDED TO THE BID PRICE FOR EACH LOT FOR BUYER'S WHO PAY IN THE FORM OF CASH, CASHIER'S CHECK, COMPANY CHECK (WITH A LETTER OF GUARANTEE) OR WIRE TRANSFER.

THOSE PAYING WITH A CREDIT CARD WILL BE CHARGED A 12.5% BUYERS PREMIUM.

# SALES TAX

SALES TAX OF 8.75% MUST BE CHARGED TO ALL PURCHASERS UNLESS THE ITEMS ARE FOR RESALE OR USE IN MANUFACTURING. Purchaser must supply a current N.Y. FORM ST-120 OR ST-121, along with a copy of their N.Y. Sales Tax Certificate of Authority (form DTF-17-A). Out of state purchasers will be charged sales tax, which can be refunded upon receipt of a bill of lading from a common carrier evidencing out of state shipment.

Blackbird reserves the right to charge sales tax on ANY purchase and require the purchaser to file with NYS for a refund.

# REMOVAL DATES

for Qualtech Pins and Fasteners, Buffalo, New York

# **ARE**

By appointment ONLY between January 13 and January 30. Hours for removal are 8:00am – 5:00pm.

Please contact our office at 716-632-1000 or by email at <a href="info@blackbirdauctions.com">info@blackbirdauctions.com</a> to make an appointment for your rigger to gain access to the facility and remove your purchases.

#### PROCEDURES FOR EQUIPMENT REMOVAL

- 1. All Riggers/Buyer's must present authorized Blackbird personnel with an original insurance certificate in the amount of at least \$2,000,000.00 prior to commencing any removal activities (see attached sheet). The auctioneer has the right to reduce or eliminate these requirements at his sole discretion.
- 2. Should any pits, floor bolts or hazard of any type exist after removal of equipment, it is the responsibility and cost of the buyer to guard these areas using generally accepted safety practices, such as safety tapes, pipes or bars welded in place, or suitable safety barrier, acceptable to Blackbird. All floor bolts and/or anchoring fasteners are to be cut flush to the floor and the area left broom clean. All electric wiring and utility piping must be safely disconnected and capped at the incoming main switch or valve, which will remain in the building, unless otherwise specified.
- 3. Machines are to be staged for loading in the area assigned by Blackbird personnel.
- 4. Any hydraulic fluid or oil leaks are the Rigger/Buyer's responsibility to clean up. Miscellaneous conduit, wires and threaded studs in cement must also be removed.
- 5. It is the responsibility of the Rigger/Buyer to disconnect all electrical power to the machines and needs to be done by a licensed tradesman. Please check to make sure the power is off to the machines before disconnecting. In cases where the seller is responsible for disconnect, you will be notified in advance.
- 6. No trucks are to be left running in an enclosed building. Blackbird is not liable for equipment and tools left on the premises.
- 7. Bridge cranes and hoists may be used only by Rigger/Buyers with crane insurance on their certificate and only with the <u>written</u> permission of crane owner.
- 8. <u>Liable for Damages</u> Any surface or structural damage to walls, ceilings, floors, overhead doors, gates, etc. will be Rigger/Buyer's responsibility. Blackbird personnel are instructed to report damage to the Home Office and plant personnel immediately. Rigger/Buyers will not be permitted to leave with equipment until repairs are made.
- 9. Theft will not be tolerated and we reserve the right to inspect all trucks, toolboxes and rigger cases. Instances of theft will result in the immediate termination of removal privileges and full-allowed prosecution by law.
- 10. Rigger/Buyers must present a copy of the customer's invoice to authorized Blackbird personnel prior to removal of any equipment, along with an executed authorization from the customer allowing the Rigger to remove selected equipment.
- 11. Rigger/Buyer must take full responsibility for and exercise all reasonable care to ensure that there is no release to the environment of any hazardous wastes or substances as are defined in applicable Federal, State and Local Statutes, Regulations, Rules or Ordinances.

## CERTIFICATE OF INSURANCE REQUIREMENTS

(form must be completed and attached to actual certificate)

Any Rigger/Buyer who wishes to work on location must present a valid certificate of insurance prior to beginning any work at the auction site. This certificate must indicate minimum coverages not less than:

- 1. General Liability \$2,000,000 Bodily injury and property damage combined.
- 2. Automobile Liability \$1,000,000 Bodily injury and property damage combined.
- 3. Excess Liability Umbrella Form: \$2,000,000 each occurrence \$4,000,000 aggregate.
- 4. Worker's Compensation Requirements vary by state.

☐ The insurance company/companies providing the coverage <u>must</u> be identified.

In addition, before accepting any Certificate of Insurance, to allow work to start, it will be reviewed critically and each of the following items will be verified.

	The policy number/numbers <u>must</u> appear.							
	The name/names of the insured <u>must</u> be stated and match exactly the firm doing the work.							
	The issue date <u>must</u> be stated.							
	The effective dates of coverage <u>must</u> be specific!							
	It <u>must</u> include the signature of an authorized representative.							
	The liability limits <u>must</u> be stated and be equal to or greater than those which are listed above.							
In addition, each Certificate of Insurance accepted will be retained on location until all work is completed. Following completion of the work, these certificates will be returned to our home office to be filed.								
Rigger:		Buyer:						
Address:		Bidder Number:						
		Auction Sale:						
Rep:		Reviewed By:						
Cell Phone:	<u> </u>	Date:						

	1C	ORD <sub>™</sub> CERTIFIC	CATE OF LIAB	SILITY INS	URANC	E	DATE (MM/DD/YYYY)		
PRO	UCER			THIS CERT ONLY AND	THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR				
PO Box 504				ALTER THE	ALTER THE COVERAGE AFFORDED BY THE POLICE				
Anywhere, USA 56789					INSURERS AFFORDING COVERAGE				
insured Your Rigger of Choice, Inc.									
123 Main St				INSURER B:	INSURER C:				
Anywhere, USA 56789				INSURER D:					
AI	ywne	ere, USA 50769		INSURER E:	INSURER E:				
TH Al M.	IE PO IY RE AY PE OLICIE	AGES LICIES OF INSURANCE LISTED BEL QUIREMENT, TERM OR CONDITION RTAIN, THE INSURANCE AFFORDEI SS. AGGREGATE LIMITS SHOWN MA	OF ANY CONTRACT OR OTHER DBY THE POLICIES DESCRIBED	DOCUMENT WITH RES HEREIN IS SUBJECT D CLAIMS.	SPECT TO WHICH TO ALL THE TERMS	THIS CERTIFICATE MAY BE	E ISSUED OR		
	ADD'I INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMIT	1		
4	/	GENERAL LIABILITY  X COMMERCIAL GENERAL LIABILITY				EACH OCCURRENCE  DAMAGE TO RENTED PREMISES (Ea occurence)	\$ 1,000,000 \$ 300,000		
		CLAIMS MADE X OCCUR				MED EXP (Any one person)	\$ 10,000		
						PERSONAL & ADV INJURY	\$ 1,000,000		
						GENERAL AGGREGATE	\$ 2,000,000		
		POLICY PRO- JECT LOC	123-12345	01/01/12	01/01/13	PRODUCTS - COMP/OP AGG	\$ 2,000,000		
A	<b>/</b>	AUTOMOBILE LIABILITY  X ANY AUTO				COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000		
		ALL OWNED AUTOS SCHEDULED AUTOS				BODILY INJURY (Per person)	\$		
		X HIRED AUTOS X NON-OWNED AUTOS				BODILY INJURY (Per accident)	\$		
			BAP-456	01/01/12	01/01/13	PROPERTY DAMAGE (Per accident)	\$ 1,000,000		
		GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$		
		ANY AUTO				OTHER THAN AUTO ONLY:  EA ACC AGG	\$		
_		EXCESS/UMBRELLA LIABILITY				EACH OCCURRENCE	\$ 1,000,000		
A	•	X OCCUR CLAIMS MADE				AGGREGATE	\$ 1,000,000		
		DEDUCTIBLE	UMB 123-12345	01/01/12	01/01/13		\$		
		X RETENTION \$0.00					\$		
A EN		KERS COMPENSATION AND	WC 123-12345a		01/01/2013	TORY LIMITS ER			
	ANY I	.OYERS' LIABILITY PROPRIETOR/PARTNER/EXECUTIVE CER/MEMBER EXCLUDED?		01/01/2012		E.L. EACH ACCIDENT	\$ 100,000		
If ye		, describe under		<b>=</b>		E.L. DISEASE - EA EMPLOTEE	\$ 100,000 \$ 300,000		
	OTHE	CIAL PROVISIONS below				E.L. DISEASE - POLICY LIMIT	\$ 300,000		
A	Rigge	ers Legal Liability	4017950415	01/01/12	01/01/13		\$1,000,000		
	RIPTION	ON OF OPERATIONS / LOCATIONS / VEHIC	LES / EXCLUSIONS ADDED BY ENDOR	SEMENT / SPECIAL					
		s Aggregate shown applies "F	Per Project". It is understoo	od and agree that t	the Certificate H	Holder is named as an	Additional		
Ins	ured	on all policies with respect to a	ny work performed by the ab	oove insured.					
CERTIFICATE HOLDER					CANCELLATION				
ь.		and Arrat Original LLO			SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION				
Blackbird Asset Services, LLC					DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL  OD DAYS WRITTEN  NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL				
5586 Main St #204					IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR				
Williamsville, NY 14221			REPRESENTATIV	REPRESENTATIVES.					

ACORD 25 (2001/08) **ACORD CORPORATION 1988** 



#### **Qualtech Pins & Fasteners 12/31/2011-1/12/2012**

#### LOT#

#### Cold header

National model 51 cold header, (1988) OD 3/32-3/16 mm, length 1/2-1 1/2 double stroke single die, prx. 20,000 parts per hour, SN 28942



#### LOT#

#### 6 Cold header

National model 375 roller cold header, OD 3/16"-5/16", length 7/16"-1 1/4", double stroke single die, approx. 5,000 parts per hour, SN 15115



#### 2 Cold header

National model 51 cold header, (1988) OD 3/32-3/16 mm, length 1/2-1 1/2 double stroke single die, prx. 20,000 parts per hour, SN 28944



#### 7 Cold header

National model 5/16" long stroke double stroke single die, solid die , SN 18936



#### Cold header

National model 45 cold header, (1975), 1/8-3/8 OD, part length 1/2-2 medium stroke, approx. 10,000 parts per hour, SN 34689



#### 8 Cold header

National model 375 roller cold header, OD 3/16"-5/16", length 7/16"-1 1/4", double stroke single die, approx. 5,000 parts per hour, SN 15114



#### 4 Cold header

Manville #500C cold header, OD 1/4"-1/2", length 1"-6", approx. 1,500 parts per hour, double stroke single die w/ speedways part conveyor



#### 9 Rod Shear

Fenn model 125 impact cut off rod shear, OD 3/8"-3/4", length 1"-10" w/ ADS 25' chain feed, auto stock feed, SN 4216-241, and also a Niagara 14-45 cold forming machine, SN 49125, 45 ton, 2 die, .25 above bottom of stroke, 18.75" shut height, 2.62" slide adjust, bed area L/R F/B 28x18, slide area L/R F/B, 18x14, spin 50-100



#### Cold header

National 500 cold roller header ,OD 5/16"-1/2", length 7/16"-2", double stroke single die, appprox. 4,000 parts per hour, SN 15277



#### 10 Tooling

Tooling for National model 51 cold header



#### Qualtech Pins & Fasteners 12/31/2011-1/12/2012

#### LOT#

#### 11 Tooling

Tooling for National model 50 cold header



#### 12 Tooling

Tooling for National model 53 cold header



#### 13 Press

Clearing/U.S. Industries model 45T640-477 Open Back Inclineable press (OBI), Torc-Pac 45, 45 ton, 60 strokes/min, sn: 57-7474



#### 4 Wire draw

Auto draw 8, Rockford Manufacturing Group, Model 45-0564-01, SN 85031283, 3/32"-3/16'



#### 14A Wire draw

Auto draw 9, Rockford Manufacturing Group, Model 34-0260-01 KR, SN 109730, 3/32"-3/16" not operable



#### 5 Wire draw

Auto draw 7, Rockford Manufacturing Group, model 34-0260-01 KR, SN 112776, 3/32"-3/16"



#### 16 Wire draw

Auto draw 6, Rockford Manufacturing Group, Model 45-0550-85, SN 86101639, 3/32"-3/16", Allan Herritan



#### LOT#

#### 17 Wire draw

Auto draw 5, Rockford Manufacturing Group, model 67-0749-07, SN 810200, 3/16"-3/8"



#### 18 Wire draw

Auto draw 4, Rockford Manufacturing Group, model 89-1030, SN 7101 23, 1/4"-5/8", leaks oil



#### 19 Wire draw

Auto draw 3, fastener engineers, model DF-05-24, SN 1166492, 1/4"-3/8", 9-70 FPM



#### 20 Wire draw

Auto draw 2, fasterner engineers, 1/4" max OD, model DK-02-20, SN 4752622, 20,000 in lb torque, 7-60 FPM



#### 21 Wire draw

Auto draw 1, lewis/fastener Engineers Group, model DTVA-0570-20, SN 401/8532, 3/16 max OD, 25,000 in lb torque, 12-70 FPM, needs motherboard



#### 21A Wire Horse

Floor mounted wire horse payoff stand



#### 22 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H1P-253, shop number 5R



#### Qualtech Pins & Fasteners 12/31/2011-1/12/2012

#### LOT#

#### 23 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H1M-19, shop number 5F



#### LOT#

#### 29 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H1L-1880, shop number 2R



#### 24 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN R5008-2, shop number 1R



#### 30 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H21-4, shop number 2F



#### 25 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H5CN-24, shop number 1F



#### 31 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H1L-1818, shop number 6R



#### 26 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H1P-31, shop number 2R



#### 32 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H1M-893, shop number 6F



#### 27 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 35028H5U-0002, shop number 2F



#### 33 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H1Z-8, shop number 7



#### 28 Grinder

Cincinnati Centerless Grinder Model 3, 6" capacity, 24" wheel max, manual wheel dressing, bowl feed, coolant system, SN 35028H5U-0002, shop number 3



#### 34 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H1M-342, shop number 8R



#### Qualtech Pins & Fasteners 12/31/2011-1/12/2012

#### LOT#

#### 35 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H5D-221, shop number 8F



#### LOT#

#### 39A Pallet jack

Hand operated pallet jack



#### 40 Wire

Grade 4037, size .296 draw .218, with turntable, approx 1500 lb limit



#### 36 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 10937, shop number 9R



#### 41 Wire

Grade 4037, size .296 approx. 500 lbs



#### 37 Grinder

Cincinnati Centerless Grinder Model 2, 3 1/2" capacity, 20" wheel max, manual wheel dressing, bowl feed, coolant system, SN 2M2H1W-445, shop number 9F



#### 42 Wire

Grade 420, size .256 with turntable, annealed in phosphorous coating, approx. 2,600 lb



#### 37A Finishing equipment

Lot of (3) vibratory finishers including tub style, rotary vibratory and cob finisher. Some media is included.



#### 43 Wire

Grade 4037, size .197 approx. 200 lbs



### 38 Forklift

TCM FC B20 electric forklift with charger, side shift, solid tires, model FCB 20 E3, sn: A72 F00502, 4,000 lbs., max lift 130 inches



#### 44 Wire

Grade 1040 size .469 approx 600 lbs



#### 45 Wire

unknown grade and size, 200 lbs



#### 39 Forklift

Lewis Shepard/Hyster Co. pallet lift, ride on with charger, model H2.50P, sn: PH-1376-S, 24 volt, 2500 lbs. cap, forklift elevation, 144 inches



#### 46 Wire

Grade 416, size .133 approx. 350 lbs



#### Page: 5 **Blackbird Asset Services, LLC** Qualtech Pins & Fasteners 12/31/2011-1/12/2012 LOT# LOT# Wire Wire 56 Grade 1018, size .531, approx. 200 lbs Grade 1022, size .344, approx. 200 lbs 48 Wire 57 Wire unknown grade and size, 200 lbs Grade 1022, size .344 approx. 200 lbs Wire 58 Wire Grade 1018, size .234 approx 2,400 lbs Grade and size unknown, approx. 200 lbs **50** Wire 59 Wire Grade 3041, size .235, approx 200 lbs Grade 1018, sixe .406, approx. 200 lbs **60** Wire Grade 10B53, size .436 approx. 1,300 lbs Grade 1095, sixe .436, approx 400 lbs 61 Wire 52 Wire Grade 10B53 size .436, approx 1,300 lbs Grade 1045, size .343, approx. 500 lbs Wire 53 Wire **62** Grade 416, size .218 approx. 200 lbs Grade 1038, size .328, approx. 200 lbs Wire 63 Wire Grade 1040, size .469 approx 600 lbs Grade and size unknown, approx. 200 lbs 55 Wire 64 Wire

Grade unknown, size .281, approx. 200 lbs

Grade 1018, size .093, approx 200 lbs

## Page: 6 **Blackbird Asset Services, LLC** Qualtech Pins & Fasteners 12/31/2011-1/12/2012 LOT# LOT# Floor fan Wire Grade and size unknown, approx. 200 lbs patton 30" floor fan Thimbles/hats Floor fan lot of (15) hats/thimbles patton 30" floor fan Turntables Floor fan TPI 30" floor fan lot of (3) turntables (by nationals) 68 Wire Scale miscelleneous wire inventory The Exact Weight Scale Co. Type 4016, floor scale, S/n 272658 Floor fan 30" floor fan **78** Scale Toledo table-top scale, model # 4652 EE, S/N 2687, 40 lb capacity Floor fan 30" floor fan-patton 79 Scale FM-Fairbanks Morse Floor Scale, model # 41-3132, 1000 lb capacity, s/n G663475 Floor fan patton 30" floor fan 80 Scale Detecto-Gram floor scale, Model # 6P1853, s/n 77253, 1000 lb capacity Floor fan TPI 30" floor fan Scale Dececto-Gram floor scale, s//n GP-0110, Floor fan \*not calibrated

patton 30" floor fan

LOT#

Scale

Scale

90

91

#### Qualtech Pins & Fasteners 12/31/2011-1/12/2012

# LOT#

#### 82 Scale

Detecto-Gram floor scale, model # 6P, 200 lb capacity, s.n 74864, \*not calibrated



#### 83

Detecto-Gram floor scale, model # 681852, s/n 72117, 1000 lb capacity \*not calibrated



#### Scale

Toledo table scale, 40 lb capacity



#### 92 Escomatic

Lot of (5) Escomatic machines model DS-2 (3); DS-6 (2)

Detecto-Gram Floor Scale, model 6P-18S,

Howe floor scale, 1000 lb capacity

1000 lb capacity, s/n: 77237



#### 85 Scale

The Exact Weight Scale Co. floor scale, type 4010 s/n 2675789



#### 93 Wire draw

Fastener Engineers wire draw, model DTHA-07-36, 137,500 inlb, 2-30 feet per minute, capacity 1/4"-5/8", SN 589/643



#### 86 Scale

Toledo table scale, model 46td52 EE, s/n 2635, 40 lb capacity



#### Wire draw

Fastener Engineers wire draw, model DK-02-20, 20,000 inlb, 7-60 feet per minute, capacity 3/32"-1/4", SN 589/643



#### 87 Scale

Detecto-gram floor scale, model 6P-1853, s/n 77256, 1000 lb capacity



#### Wire draw

Fastener Engineers wire draw, model DK-02-20, 20,000 inlb, 7-60 feet per minute, capacity 3/32"-1/4", SN 3752618



#### 88 Scale

Spinks Scale Co. Weigh-Tronix model A floor scale, SN 39059



#### 95A Cold header

National #500 cold header (parts only)



#### 89 Scale

Toledo Floor Scale, 200 lb capacity



#### Qualtech Pins & Fasteners 12/31/2011-1/12/2012

#### LOT#

#### 95B Roller Stand

Roller stock stand



#### LOT#

#### 103 Sander

Dayton 6"x9" belt and disc sander



#### 96 Scale

Pallet scale/weight indicator, 4'x4', 10,000 lb capacity



#### 104 Stand

Atlas 3 Jaw Metal Lathe and Stand, 30" bed, 12" work piece



#### 97 Pallet racking

2 Bay Pallet Racking, 9 ft-42" deep, 4 cross piece



#### 104A Wire Splicer

Lot of (2) rolling splicing / work stations with vise



#### 98 Pallet racking

2 Bay Husty pallet racking, 24 cross piece, 10ft-42" deep



#### 105 Torch Cart

Torch Cart w/ Regulators, Torchs, and hoses



#### 9 Pallet racking

4 Bay Husky pallet racking, 40 cross pieces,

9 ft-42" deep



#### 106 Shelves

Shelves and misc. Tooling



#### 100 Pallet racking

1 Bay Husky pallet racking, 10 cross pieces,

9 ft- 42" deep



### 107 Shelves

Shelves and misc. tooling and parts



#### 101 Pallet racking

1 Bay Husky pallet racking, 10 cross pieces,

9 ft- 42" deep



## 108 Cabinet

Cabinet and contents, misc



#### 102 Pallet racking

5 Bay Husky pallet racking, 9 ft, 42" deep, 40 cross pieces



#### 109 Cabinet

Cabinet with tooling, cutters, and spacers



#### Qualtech Pins & Fasteners 12/31/2011-1/12/2012

#### LOT#

#### 110 Miscellaneous

Rack of misc. tooling



#### 111 Hobber

Farrel Foundry and machine, model #30 Hobber machine



#### 112 Vibra Shaker

Vibra Shaker automatic bowl feeder



#### 113 Press

Dake 75H shop press, 75 ton, s/ 155779



#### 114 Miscellaneous

Rack of misc. parts



#### 15 Bench

Welding bench with Vise



#### 116 Welder

Airco Welder A/C D/C model 2.5A/DOR-24-A, Bumble bee rectifier welder



#### 17 Lathe

Harding metal lathe, S/N 59-20436, 8" diameter, 24" bed



#### LOT#

#### 118 Lathe

Monarch Machine and tool, 3 jaw chuck, engine lathe, model E#12CK, 14.5" swing, 30" between centers, build date 10/1942, with collets and tooling



#### 119 Milling machine

Cincinnati Milling Machine, model #2MH, S/N 5A241K-123, with tooling



#### 120 Cable lift

Overhead 1,000 lb cable lift



#### 121 Surface Grinder

Brown and sharpe micromaster surface grinding machine, model #1024



#### 122 Surface Grinder

Norton Hydraulic grinder



#### 123 Drill press

Buffalo forge drill press, model #22



#### 124 Pipe threader

Rigid pipe threader, model 300, and contents of shelves



#### 125 Miscellaneous

shelf and contents, misc. tooling



#### Qualtech Pins & Fasteners 12/31/2011-1/12/2012

#### LOT#

#### 126 Air compressor

127 Inventory

Inger soil rand air compressor, model #3000E20, S/N 30T 703598, 25 HP, 230/460 volt, 3 phase

Pin inventory, 487 boxes, approx 12,175



#### LOT#

#### Pallet racking

4 foot section of pallet racking



#### 134 Solvent

Drum of solvent and pump





#### 135 Miscellaneous

2 cabinets and contents



#### 128 Optical Comparitor

lbs, 25 lbs/box average

Covel Optical Comparitor, model #14B, s/n 14B-2190



#### 136 Miscellaneous

Hardware and cabinet



#### 129 Box stapler

Container stapling corp foot operated box stapler



#### 137 Band saw

Power band saw AS-IS



#### 130 Computer

Dell computer and monitor and stand, model #DHS, s/n J00BR01, intel celeron, windows 2000



#### 138 Drill press

Delta 16 1/2" drill press, model 17-900, s/n W98-17



#### 131 Cooling system

Schreck cooling system with tank, filter belt and sludge discharge



#### **Drill press** 139

Central 5-speed drill press, model C112



#### 132 Drum racks

oil drum racks



#### 140 Miscellaneous

Pallet of boxes



#### Qualtech Pins & Fasteners 12/31/2011-1/12/2012

# LOT#

#### 141 Pallet racking

1 bay 8ft pallet racking, 12 ft high



#### 142 Table

2 shelving tables



#### 143 Bench

Lab work bench



#### 144 Tester

Surface finish tester-Mitutoyo Surftest-211



#### 145 Scope

Micro scope



#### 146 Micrometer

Digital micrometer and base



#### 147 Table

Stainless steel work table



#### 148 Cutter

Mark II series 600 cutter



#### 149 Light

Magnifier light



#### LOT#

#### 150 Hardness Tester

Wilson-Rockwell Instron hardness tester, model # C503 S, s/n 97323711



#### 151 Hardness Tester

Wilson-Rockwell Instron hardness tester, model # C504 R, s/n 97361812



#### 152 Laser mike

Techmet laser mike, model # 183,



#### 153 Micrometer

Digital micrometer and base



#### 154 Scale

Sargenot-Welch TL6000-DR scale, 600 gram cap.,



#### 155 Gauge pins

Lot of 100 gauge pins



#### 155A Inspection Equipment

LATE ADDITION, large lot of inspection equipment. We just found this room chock full of micrometers, calipers, gauges and other inspection equipment. Lot includes contents of this inspection room including gauges, micrometers, stands, optical comparator, surface plate, cabinets and more.



LOT#

#### Quanteen 1 ms & 1 asteners 12/31/2011-1/12/2012

#### 156 Thermometer

Fluke digital thermometer, type T, s/n 1800065'



57 Fan

LOT#

30" patton floor fan



158 Fan

TPI 30" floor fan



159 Box stapler

Josef Kihlberg manual box stapler, 561-15



160 Contents of office

Lg. 52x max computer equip, Dell monitor, HP laserjet 1100, Dell computer and ADC monitor, lg computer and ADC monitor, 8 desks, toshiba studio 450 copier



161 Backlog of Production

This lot is for the rights to the backlog of production for Qualtech Pins and Fasteners. This lot represents approximately \$130,400 in potential business by filling these orders. Please visit the main Blackbirdauctions.com page to download a list of the backlog orders and parts specifications.

#### 162 ENTIRETY SALE BID

This lot is for the ENTIRETY OF ALL LOTS IN THIS AUCTION, ALL FOR ONE MONEY. The method that obtains the highest bid will be confirmed.